
Quadrifoglio Group



www.quadrifoglio.com



Specification sheet EIGHT

MELAMINE TOP

18mm easy to clean scratch-resistant anti-reflective melamine faced chipboard (MFC) top. 10mm high chamfered edges finished with 1mm impact resistant matching Abs.
Panel density: 670/730 kgs per cubic meter

Finish options:









LACQUERED MELAMINE TOP

18mm scratch & abrasion resistant lacquered melamine faced chipboard (MFC) top. Matt lacquers. 10mm high chamfered edges finished with 1mm impact resistant matching Abs.

Finish options:



 $Production \ lead\ time: 5\ weeks\ excluding\ delivery\ time.\ Apart\ from\ the\ shown\ finish\ options\ any\ RAL\ color\ can\ be\ made\ to\ order.$

GLASS TOP

10mm fingerprint-proof back painted tempered glass with a satin white finish top supported on stainless steel spacers. Polished edges and radius corners.

Finish options:



PORCELAIN TOP

18mm melamine faced chipboard (MFC) top bonded to a 3 or 5mm PORCELAIN top with 1.5mm 45° beveled flat edges; the top is either 5mm or 3mm thick depending on the finish.

Finish options:















Emperador Lucido

Noir Desir Lucido

EIGHT

FRAME

Legs and perimeter frame made from steel tubes linked together by die-cast zamak three-arm corner units. All parts supplied epoxy powder coated.

Finish options:














Legs made from 2mm triangle-shaped steel tube, 60.5×69.2mm section.



Perimeter frame made from 1.5m steel tube, 130×60mm section.



0-15mm adjustable levelling feet made of polyethylene, 25mm diameter. Layout





MATERIALS AND RECYCLABILITY

MFC panels used for EIGHT range tables are solely manufactured with 100% recycled wood and fully meet requisites of formaldeyde low emissions (CARB Quality Award CATAS Certificate). Rasins used for panels and melamines are free of SVHC substances (to be found in the ECHA list updated as of 12/01/2017).



CERTIFICATES to market requirements, Quadrifoglio Sistemi d'Arredo pay special attention on quality and safety contents in order to provide high products and services. The Company has reached certifications UNI EN ISO 9001/2015, UNI EN ISO 14001/2015 and UNI EN ISO 45001/2018 to confirm his policy. Our products are certified and ensured by FSC™ and ECOLOGICAL PANEL.

COMPANY WITH
MANAGEMENT SYSTEM
CERTIFIED BY DNV
ISO 9001 • ISO 14001
ISO 45001







GREEN ENERGY

The Company had installed the photovoltaic system with 4.500 solar panels in a 7.350 m² surface that covers almost entirely the factory. The photovoltaic is able to produce 1Mw of a quiet green energy, that does not harm the environment and is waste-free. With his high production capacity the photovoltaic allows us to reduce emissions in the atmosphere of all those polluting substances and to those that contribute to the greenhouse effects. Consequently, such measures make us save every year 180 tonne of petrol oil, 440 tonne of CO2, 514kg of sulphur dioxide, 448 kg of nitrogen oxide and 23kg of dust.



TRANSPORT

Packaging is reduced in order to decrease volumes. Goods collections are responsibily managed and organised with the aim of optimise transports, reducing atmosphere emissions.